

L Number	Hits	Search Text	DB	Time stamp
-	5197	planar near2 waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:28
-	2362	(planar near2 waveguide) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:28
-	1371	(planar near2 waveguide) and mask\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 12:46
-	483	(planar near2 waveguide) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:43
-	971	(planar near2 waveguide) and (array\$3 near2 waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:55
-	40	(planar near2 waveguide) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:42
-	7	((planar near2 waveguide) and core) and ((planar near2 waveguide) and mask\$3) and ((planar near2 waveguide) and photoresist) and ((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 12:49
-	7	((planar near2 waveguide) and core) and ((planar near2 waveguide) and mask\$3) and ((planar near2 waveguide) and photoresist) and ((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 17:31
-	9	((planar near2 waveguide) and (vertical adj taper)) and 385/129,131,147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:35
-	5	((planar near2 waveguide) and (vertical adj taper)) and 385/129,131,147.ccls.) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:42
-	493	(planar near2 waveguide) and 385/129,131,147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:40
-	186	((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:26
-	348	((planar near2 waveguide) and 385/129,131,147.ccls.) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:41
-	91	((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:41
-	33	((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:38

-	3	(((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist)) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:27
-	5	(((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 13:42
-	3	(((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist)) and (vertical adj taper)) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist)) and (gray adj scale))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:25
-	9457	((hard\$5 near layer) (thin adj film) (metal near foil)) with core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:30
-	1052	((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:27
-	449	((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:27
-	304	(((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:27
-	2	(((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist)) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:43
-	5	(((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:30
-	2	(((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist)) and (vertical adj taper)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and mask\$3) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core) and photoresist)) and (gray adj scale))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:28
-	20	((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:30
-	20	((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:30
-	8	((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:43

-	8	(((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))) and (vertical adj taper)) and (((planar near2 waveguide) and (array\$3 near2 waveguide)) and ((planar near2 waveguide) and (vertical adj taper))) and (gray adj scale))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:31
-	140	((planar near2 waveguide) and (array\$3 near2 waveguide)) and 385/129,131,147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:35
-	7	(((planar near2 waveguide) and (array\$3 near2 waveguide)) and 385/129,131,147.ccls.) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:35
-	33	(((planar near2 waveguide) and 385/129,131,147.ccls.) and ((hard\$5 near layer) (thin adj film) (metal near foil))) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and core) and (((planar near2 waveguide) and 385/129,131,147.ccls.) and photoresist))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:42
-	127	((planar near2 waveguide) and (array\$3 near2 waveguide)) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:43
-	20	((planar near2 waveguide) and (array\$3 near2 waveguide)) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:23
-	25	((planar near2 waveguide) and (array\$3 near2 waveguide)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:05
-	7	(((planar near2 waveguide) and (array\$3 near2 waveguide)) and photoresist) and (((planar near2 waveguide) and (array\$3 near2 waveguide)) and (vertical adj taper)) and (((planar near2 waveguide) and (array\$3 near2 waveguide)) and (gray adj scale))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 14:44
-	6	photoresist with (array\$3 near2 waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:04
-	1	(photoresist with (array\$3 near2 waveguide)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:05
-	12	(vertical adj taper) same (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:23
-	6187	etch\$3 with core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:23
-	31	(etch\$3 with core) and (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:23
-	314	(etch\$3 with core) and ((modulat\$3 adjust\$3) near3 light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:24
-	10	(etch\$3 with core) and ((etch\$3 with core) and (vertical adj taper)) and ((etch\$3 with core) and ((modulat\$3 adjust\$3) near3 light))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:25

-	10	((etch\$3 with core) and ((etch\$3 with core) and (vertical adj taper)) and ((etch\$3 with core) and ((modulat\$3 adjust\$3) near3 light))) and waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:25
-	1	(((etch\$3 with core) and ((etch\$3 with core) and (vertical adj taper)) and ((etch\$3 with core) and ((modulat\$3 adjust\$3) near3 light))) and waveguide) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:31
-	114681	waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:28
-	20355	waveguide and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:28
-	19958	waveguide and clad\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:29
-	12267	(waveguide and core) and (waveguide and clad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:29
-	1341	((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:29
-	46	(((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:31
-	10	(((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:31
-	10	(((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)) and (((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:31
-	5	(((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)) and (((waveguide and core) and (waveguide and clad\$4)) and (array\$3 near3 waveguide)) and (((hard\$5 near layer) (thin adj film) (metal near foil)) with core)) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:39
-	85	photoresist with branch	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:51
-	12	(photoresist with branch) and taper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:40
-	1	((photoresist with branch) and taper) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:50
-	1	(photoresist with branch) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:49

-	8	((gray adj scale) with taper\$3) and 385/129,131,147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 15:50
-	7	((((gray adj scale) with taper\$3) and 385/129,131,147.ccls.) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:00
-	30	(samsung adj electronic).as. and (planar near waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:08
-	0	((samsung adj electronic).as. and (planar near waveguide)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:08
-	2	((samsung adj electronic).as. and (planar near waveguide)) and taper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:09
-	0	Lee-Joon-Hoon.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:10
-	0	Lee-Joon-Hoon\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:10
-	11	Choi-Duk-Yong\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:10
-	2	Choi-Duk-Yong\$.in. and taper\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:10
-	6	(shadow adj mask\$3) with (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:35
-	2	((shadow adj mask\$3) with (vertical adj taper)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:35
-	9	(shadow adj mask\$3) same (vertical adj taper)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:35
-	3	((shadow adj mask\$3) same (vertical adj taper)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:47
-	13	385/39,43,45.ccls. and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/04 16:48
-	5197	planar near2 waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:18

-	2362	(planar near2 waveguide) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:19
-	2205	(planar near2 waveguide) and (clad\$4 under-clad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:20
-	971	(planar near2 waveguide) and (array\$3 near2 waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:20
-	477	((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:30
-	238	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and mask\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:20
-	80	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:21
-	23	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (vertical near taper\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:31
-	23	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (gray near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:21
-	6	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and mask\$3) and (((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and photoresist) and (((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (vertical near taper\$3)) and (((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (gray near scale))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:22
-	106	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and 385/129,131,147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:31
-	23	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (vertical near taper\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:34
-	7	(((planar near2 waveguide) and core) and ((planar near2 waveguide) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide) and (array\$3 near2 waveguide))) and (vertical near taper\$3)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 09:35
-	39	("4070092" "4708423" "4840446" "4895615" "5002350" "5008043" "5078514" "5136671" "5157756" "5206925" "5281305" "5341444" "5387269" "5412744" "5465860" "5467418" "5556904" "5581642" "5623571" "5629992" "5636309" "5657408" "5677688" "5703989" "5706377" "5739931" "5745618" "5751872" "5768450" "5841919" "5889906" "5926298" "5930439" "5940555" "5982960" "6069990" "6137939" "6181848" "6205273").PN.	USPAT	2004/03/05 10:15

-	31	5706377.URPN.	USPAT	2004/03/05 10:19
-	317	planar near2 waveguide near2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:29
-	179	(planar near2 waveguide near2 circuit) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:29
-	167	(planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:29
-	100	(planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:29
-	69	((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:30
-	25	((((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and ((hard near layer) (metal adj foil) (thin adj film))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:30
-	9	((((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:30
-	3	(((((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and ((hard near layer) (metal adj foil) (thin adj film)))) and (((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:31
-	1	((((((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and ((hard near layer) (metal adj foil) (thin adj film)))) and (((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and photoresist)) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:31
-	2	(((((planar near2 waveguide near2 circuit) and core) and ((planar near2 waveguide near2 circuit) and (clad\$4 under-clad\$4)) and ((planar near2 waveguide near2 circuit) and (array\$4 near2 waveguide)))) and photoresist) and (gray adj scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 10:31